



# CourtYard®

ALUMINUM FENCING



**Digger  
Specialties  
Inc.**

*Transforming the Outdoor Living Experience®*



# DYNAMIC SOLUTIONS INNOVATION

Since 1984 Digger Specialties, Inc. (DSI) has been manufacturing quality products for the outdoor living industry.

At DSI we are continually working to provide solutions through innovative product development and design to bring the best products to our customers, the marketplace, and the home owner.

Our CourtYard® Aluminum Fencing offers a variety of colors, styles, and options to enhance your outdoor living experience. This premium line of fencing also provides a great investment in your home or business.



**Digger  
Specialties  
Inc.**

*Transforming the Outdoor Living Experience®*



## TABLE OF CONTENTS

|                              |       |
|------------------------------|-------|
| Features .....               | 2     |
| Product Details .....        | 3     |
| Aluminum Colors .....        | 4     |
| Powder Coating Process ..... | 5     |
| Flat Top Models .....        | 6-9   |
| Spear Top Models .....       | 10-12 |
| Arched Picket Top .....      | 13    |
| Gates .....                  | 14-16 |
| Gate Hardware .....          | 17    |
| Options .....                | 18    |
| Posts & Mounts .....         | 19    |
| Accessories .....            | 20    |
| Specialties .....            | 21    |

# FEATURES



## Lifetime Limited Warranty

Digger Specialties, Inc. is proud to offer one of the strongest warranties in the industry. CourtYard® Aluminum Fencing is covered by our Aluminum Lifetime Limited Warranty. Our Warranty demonstrates our faith in our product and our commitment to you.



**Click QR Code to view and register a DSI warranty or visit the DSI website.**



## Committed to the Environment and our Community

DSI is proud to be an environmentally aware company that continues to update practices to reduce our carbon foot-print. DSI consistently recycles cardboard, wood, steel banding, zinc die cast, and heat shrink scrap. DSI also utilizes both aluminum and vinyl extrusions that contain recycled content. DSI is pleased to support our community by outsourcing a portion of our packaging functions to a local company that provides meaningful employment to individuals with disabilities.



## Pool Code Approved

CourtYard® Aluminum Fencing combines safety with style. Fence models marked with this symbol comply with ASTM F1908 for height and spacing. See individual model charts on pages 7 – 12 for availability and restrictions. Check with your local building code officials as local codes may differ.



## Puppy Picket Option (Short Picket Option)

CourtYard® Aluminum Fencing offers pet owners peace of mind. Fence models marked with this symbol offer a Puppy Picket Option (short picket option). See individual model charts on pages 7 – 12 for availability and restrictions. These added pickets help keep animals in or out of your yard. For more information see Page 18.

1

## Hidden Rail Locks

Our patented Hidden Rail Locks secure the section into the routed holes of the post.



Patent #US 7,134,647 B2

2

## Hidden E-Clips

Our patented Hidden Picket Fasteners eliminate scratches and unsightly screws.




Patent #US 7,152,849 B2

3

## Welded Gates


CourtYard® Aluminum Gate rails and pickets are welded at each connection for added strength and durability.



4

## Assembled Sections

CourtYard® Aluminum Fencing sections come factory assembled for quick installation.



Hundred and 1000 Series



2000 Series





# PRODUCT DETAILS

|                                                                         | Hundred Series                                                                                                   | 1000 Series                                                                                                         | 2000 Series                                                                                                      | 7000 Series                                                              |
|-------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------|
| <b>Heights</b>                                                          | 36", 42", 48", 55", 60", 72"                                                                                     | 36", 42", 48", 54", 55", 60", 72"                                                                                   | 48", 54", 60", 72", 84", 96"                                                                                     | 48", 55", 60"                                                            |
| <b>Section Width</b>                                                    | 6' Centers<br>Per Foot/Inch Sections available from 24" to 72"                                                   | 6' Centers<br>Per Foot/Inch Sections available from 24" to 72"                                                      | 8' Centers<br>Per Foot/Inch Sections available from 24" to 96"                                                   | 6' Centers                                                               |
| <b>Rails</b>                                                            | 1-1/8" W (.065") x 1" H (.085")                                                                                  | 1-1/8" W (.065") x 1" H (.085")                                                                                     | 1-1/2" W (.070") x 1-1/2" H (.100")                                                                              | 1-3/32" x 1" (.050")                                                     |
| <b>Spear/Finial Pickets</b>                                             | 5/8" x 5/8" (.045")                                                                                              | 3/4" x 3/4" (.053")                                                                                                 | 1" x 1" (.062")                                                                                                  | 5/8" x 5/8" (.035")                                                      |
| <b>Non-Spear/Finial Pickets</b>                                         | 5/8" x 5/8" (.045")                                                                                              | 3/4" x 3/4" (.045")                                                                                                 | 1" x 1" (.062")                                                                                                  | 5/8" x 5/8" (.035")                                                      |
| <b>Picket Spacing</b>                                                   | 3-13/16" Between Pickets                                                                                         | 3-5/8" Between Pickets                                                                                              | 3-3/4" Between Pickets                                                                                           | 3-13/16" Between Pickets                                                 |
| <b>Section Racking*</b>                                                 | Standard Sections Rack 20" in 6'<br>Double Punch Sections Rack 40" in 6'                                         | Standard Sections Rack 20" in 6'<br>Double Punch Sections Rack 35" in 6'                                            | Standard Sections Rack 17" in 8'<br>Double Punch Sections Rack 26" in 8'                                         | Standard Sections Rack 20" in 6'<br>Double Punch Sections Rack 40" in 6' |
| <b>Posts</b><br>See the Posts & Mounts page for additional information. | 2" x 2" (.060") 36"-60" Heights Only<br>2" x 2" (.090")<br>2" x 2" (.125")<br>4" x 4" (.125")<br>6" x 6" (.185") | 2-1/2" x 2-1/2" (.065")<br>2-1/2" x 2-1/2" (.090")<br>2-1/2" x 2-1/2" (.125")<br>4" x 4" (.125")<br>6" x 6" (.185") | 2-1/2" x 2-1/2" (.090")<br>48"-72" Heights Only<br>2-1/2" x 2-1/2" (.125")<br>4" x 4" (.125")<br>6" x 6" (.185") | 2" x 2" (.060")<br>2" x 2" (.125")<br>4" x 4" (.125")<br>6" x 6" (.185") |
| <b>Post Caps</b>                                                        | Flat Caps: 2", 4", 6"<br>Ball Caps: 2", 4"                                                                       | Flat Caps: 2-1/2", 4", 6"<br>Ball Caps: 2-1/2", 4"                                                                  | Flat Caps: 2-1/2", 4", 6"<br>Ball Caps: 2-1/2", 4"                                                               | Flat Caps: 2", 4", 6"                                                    |
| <b>Standard Single Gate Opening Sizes</b>                               | 36", 42", 48", 60", 72"                                                                                          | 36", 42", 48", 60", 72"                                                                                             | 36", 42", 48", 60", 72"                                                                                          | 48", 60"                                                                 |



\* Some DSI options (rings, puppy pickets, etc.) affect Section Racking.  
**Click the QR Code for a detailed Racking Help Sheet.**


# ALUMINUM COLORS

CourtYard® Hundred, 1000, and 2000 Series are offered in 12 standard AAMA 2604 colors, from satin colors to textured colors, to complement your project. Custom colors and AAMA 2605 colors are available by special order.


*Colors shown are a close approximation of the true color. Please request actual samples for accurate powder coating colors.*



## Textured Colors



White Fine Texture



Grey Fine Texture



Bronze Fine Texture




Brown Fine Texture




Black Fine Texture

## Non Textured Colors



Gloss White



Gloss Beige



Sandy Shore




Ninety Bronze



Speckled Walnut



Chocolate



Satin Black


## Optional Color



Gold Accent  
Fine Texture  
(Upcharge may apply)

Select CourtYard® accessories are available in an optional Gold Accent color. See pages 18 and 20 for more information on the items available.

## 7000 Series



Satin Black

CourtYard® 7000 Series is available in Satin Black only.






# POWDER COATING PROCESS

## Exclusive DSI Powder Coating Process

DSI is an industry leader in Powder Coated Aluminum Products. State-of-the-art technology is used to provide a high-quality and durable finish that is more resistant to the effects of impacts, chemicals, ultra-violet light, moisture, and extreme weather conditions.

The process begins with a system certified by the Powder Coating Institute (PCI) and continues with the American Architectural Manufacturers Association (AAMA) / Fenestration and Glazing Industry Alliance (FGIA) verifying our Powder Coating. These stringent processes provide homeowners with peace of mind in their investment.

Our Aluminum Lifetime Limited Warranty includes a Fade Warranty as well as a Salt and Abrasive Environments Warranty providing one of the best warranties in the industry.



**1**  
**The raw premium-grade aluminum is inspected** to be free of blemishes and is not exposed to the outdoor elements.




**2**  
**The product enters a heated cleaning stage** to remove extrusion debris and fabrication oils.




**3-6**  
**Clean:** City water rinse  
**Cleaner:** Recycling reverse osmosis water rinse  
**Cleanest:** Pure reverse osmosis water rinse  
**Sealer:** Dried-in-place aluminum sealer



**7-8**  
**A 200 MPH air blast removes water drops** from the pre-treated aluminum.  
**A convection oven** completes the dry-off process.



**9**  
**Powder is applied** with 18 automated and 2 manual spray guns. Compressed process air is dried to -35°F Dew Point for superior adhesion.



**10**  
**The powder coating is then bonded** and adhered to the aluminum substrate in a 400 degree cure stage.



1220 Flush Bottom Pool



0230R

# FLAT TOP

## MODELS



1230 Flush Bottom






Perfect for around a pool, the classic Flat Top offers clean and simple lines in 2, 3, or 4 rail designs. Double Picket and Ring models are available to add definition to your outdoor living space.

## CLASSIC FLAT TOP


### 2-RAIL



Flush Bottom Pool


| Models    | Heights  |
|-----------|----------|
| 0220 Pool | 48"      |
| 1220 Pool | 48", 54" |
| 2220 Pool | 54"      |
| 7220 Pool | 48"      |

### 3-RAIL



60" height 0230 and 7230  
72" height 1230  
60" and 72" heights 2230


| Models | Heights                 |
|--------|-------------------------|
| 0230   | 36", 42", 48", 60"      |
| 1230   | 36", 42", 48", 60", 72" |
| 2230   | 48", 60", 72"           |
| 7230   | 48", 60"                |



Flush Bottom  
60" height


| Models  | Heights  |
|---------|----------|
| 0230 FB | 48", 60" |
| 1230 FB | 48", 60" |
| 7230 FB | 48"      |

### 3-RAIL




Flush Bottom Pool

| Models    | Heights |
|-----------|---------|
| 0230 Pool | 55"     |
| 1230 Pool | 55"     |
| 2230 Pool | 54"     |
| 7230 Pool | 55"     |



Double Pickets to Mid-Rail

| Models                    | Heights |
|---------------------------|---------|
| 0230 Dbl Pkts to Mid-Rail | 48"     |
| 1230 Dbl Pkts to Mid-Rail | 48"     |



With Rings  
60" and 72" heights


| Models | Heights                 |
|--------|-------------------------|
| 0230R  | 36", 42", 48", 60"      |
| 1230R  | 36", 42", 48", 60", 72" |
| 2230R  | 48", 60", 72"           |

# FLAT TOP

## MODELS


### CLASSIC FLAT TOP

#### 3-RAIL



With Rings Flush Bottom  
60" height


| Models   | Heights  |
|----------|----------|
| 0230R FB | 48", 60" |
| 1230R FB | 48", 60" |




With Rings Flush Bottom Pool

| Models     | Heights |
|------------|---------|
| 0230R Pool | 55"     |
| 1230R Pool | 54"     |
| 2230R Pool | 54"     |

#### 4-RAIL



| Models | Heights  |
|--------|----------|
| 0240   | 72"      |
| 2240   | 84", 96" |



With Rings

| Models | Heights  |
|--------|----------|
| 0240R  | 72"      |
| 2240R  | 84", 96" |






Flat Top Alternating Spear Top offers a modern design by combining the safety of a smooth top rail with the traditional alternating spears between the top and mid-rail.


## FLAT TOP ALTERNATING SPEAR TOP

### 3-RAIL




60" height 0233  
72" height 1233  
60" and 72" heights 2233

| Models | Heights                 |
|--------|-------------------------|
| 0233   | 36", 42", 48", 60"      |
| 1233   | 36", 42", 48", 60", 72" |
| 2233   | 48", 54", 60", 72"      |
| 7233   | 48"                     |



Flush Bottom


| Models  | Heights |
|---------|---------|
| 0233 FB | 48"     |
| 1233 FB | 48"     |



Flush Bottom Pool

| Models    | Heights |
|-----------|---------|
| 0233 Pool | 55"     |
| 1233 Pool | 55"     |
| 7233 Pool | 55"     |

### 4-RAIL



| Models | Heights  |
|--------|----------|
| 0243   | 72"      |
| 2243   | 84", 96" |



1233 Flush Bottom Pool





# SPEAR TOP

## MODELS









## TRADITIONAL SPEAR TOP

### 3-RAIL



72" height


| Models | Heights                 |
|--------|-------------------------|
| 0131   | 36", 42", 48", 60"      |
| 1131   | 36", 42", 48", 60", 72" |
| 2131   | 48", 54", 60", 72"      |
| 7131   | 48"                     |




With Rings  
72" height

| Models | Heights                 |
|--------|-------------------------|
| 0131R  | 36", 42", 48", 60"      |
| 1131R  | 36", 42", 48", 60", 72" |
| 2131R  | 48", 54", 60", 72"      |

### 4-RAIL




| Models | Heights  |
|--------|----------|
| 0141   | 72"      |
| 2141   | 84", 96" |



With Rings


| Models | Heights  |
|--------|----------|
| 0141R  | 72"      |
| 2141R  | 84", 96" |

### 3-RAIL



Concave  
72" height 2131 Concave


| Models       | Heights                 |
|--------------|-------------------------|
| 0131 Concave | 36", 42", 48", 60"      |
| 1131 Concave | 36", 42", 48", 60", 72" |
| 2131 Concave | 48", 54", 60", 72"      |



Concave w/Rings  
72" height


| Models        | Heights                 |
|---------------|-------------------------|
| 0131R Concave | 36", 42", 48", 60"      |
| 1131R Concave | 36", 42", 48", 60", 72" |
| 2131R Concave | 48", 54", 60", 72"      |

### 4-RAIL



Concave  
84" and 96" heights


| Models       | Heights  |
|--------------|----------|
| 0141 Concave | 72"      |
| 2141 Concave | 84", 96" |



Concave w/Rings  
84" and 96" heights


| Models        | Heights  |
|---------------|----------|
| 0141R Concave | 72"      |
| 2141R Concave | 84", 96" |

### 3-RAIL



Convex  
72" height


| Models      | Heights                 |
|-------------|-------------------------|
| 0131 Convex | 36", 42", 48", 60"      |
| 1131 Convex | 36", 42", 48", 60", 72" |
| 2131 Convex | 48", 54", 60", 72"      |



Convex w/Rings  
72" height


| Models       | Heights                 |
|--------------|-------------------------|
| 0131R Convex | 36", 42", 48", 60"      |
| 1131R Convex | 36", 42", 48", 60", 72" |
| 2131R Convex | 48", 54", 60", 72"      |

### 4-RAIL



Convex

| Models      | Heights  |
|-------------|----------|
| 0141 Convex | 72"      |
| 2141 Convex | 84", 96" |



Convex w/Rings


| Models       | Heights  |
|--------------|----------|
| 0141R Convex | 72"      |
| 2141R Convex | 84", 96" |

# SPEAR TOP MODELS

Alternating Spear Top offers the aesthetic appeal of pressed point pickets in alternating heights. Optional finials are available in Quad, Triad, or Fleur-de-Lis.


## ALTERNATING SPEAR TOP

### 3-RAIL



72" height


| Models | Heights                 |
|--------|-------------------------|
| 0132   | 36", 42", 48", 60"      |
| 1132   | 36", 42", 48", 60", 72" |
| 2132   | 48", 54", 60", 72"      |




With Rings  
72" height

| Models | Heights                 |
|--------|-------------------------|
| 0132R  | 36", 42", 48", 60"      |
| 1132R  | 36", 42", 48", 60", 72" |
| 2132R  | 48", 54", 60", 72"      |

### 4-RAIL




| Models | Heights  |
|--------|----------|
| 0142   | 72"      |
| 2142   | 84", 96" |



With Rings

| Models | Heights  |
|--------|----------|
| 0142R  | 72"      |
| 2142R  | 84", 96" |








Recognized by its curved design, the Arched Picket Top is a great decorative fence for landscaped and garden areas. With Spear point and finial options including Quad, Triad, or Fleur-de-Lis, this fence is sure to accent any outdoor living space.


## ARCHED PICKET TOP

### 2-RAIL



Sections Do Not Rack

| Models | Heights       |
|--------|---------------|
| 0124   | 36", 42", 48" |
| 1124   | 36", 42", 48" |







1131R with Designer Arch



1230R

# GATES



1230R Flush Bottom






# WALK GATES


## Standard

36" - 48" Single Gate Openings  
72" - 96" Double Gate Openings




## Arched

36" - 48" Single Gate Openings  
72" - 96" Double Gate Openings




## Standard w/Bracing

60" - 72" Single Gate Openings  
120" - 144" Double Gate Openings



## Arched w/Bracing


60" - 72" Single Gate Openings  
120" - 144" Double Gate Openings



Gates with Short Picket Option may be made with corner bracing.


## Pool w/Corner Bracing

60" - 72" Single Gate Openings  
120" - 144" Double Gate Openings




## Arched Pool w/Corner Bracing

60" - 72" Single Gate Openings  
120" - 144" Double Gate Openings




## U-Frame

36" - 72" Single Gate Openings  
72" - 144" Double Gate Openings



## Arched U-Frame

36" - 72" Single Gate Openings  
72" - 144" Double Gate Openings




Not all gate openings meet Pool Code.

**Click the QR Code for a detailed Pool Code Help Sheet.**

## 1000 Series Gates with Rings

Widths vary.  
See charts below.

### Standard



### Perfect Fit



## 1131R & 1230R - "Perfect Fit" Gates

| Gate Sizes | # of Pickets | # of Rings | Actual Width | Actual Opening |
|------------|--------------|------------|--------------|----------------|
| 36" Wide   | 6            | 7          | 33"          | 34-1/2"        |
| 42" Wide   | 8            | 9          | 41-3/4"      | 43-1/4"        |
| 48" Wide   | 9            | 10         | 46-3/16"     | 47-11/16"      |
| 60" Wide   | 12           | 13         | 59-3/8"      | 60-7/8"        |
| 72" Wide   | 14           | 15         | 68-1/8"      | 69-5/8"        |
| 72" Wide   | 15           | 16         | 72-1/2"      | 74"            |

## 1132R - "Perfect Fit" Gates


| Gate Sizes | # of Pickets | # of Rings | Actual Width | Actual Opening |
|------------|--------------|------------|--------------|----------------|
| 36" Wide   | 7            | 8          | 37-3/8"      | 38-7/8"        |
| 42" Wide   | 7            | 8          | 37-3/8"      | 38-7/8"        |
| 48" Wide   | 9            | 10         | 46-3/16"     | 47-11/16"      |
| 60" Wide   | 11           | 12         | 55"          | 56-1/2"        |
| 72" Wide   | 13           | 14         | 63-3/4"      | 65-1/4"        |
| 72" Wide   | 15           | 16         | 72-1/2"      | 74"            |

## 1131R, 1132R, 1230R - Standard Gates

| Gate Sizes | # of Pickets | # of Rings | Actual Width | Actual Opening | Approx. End Space |
|------------|--------------|------------|--------------|----------------|-------------------|
| 36" Wide   | 7            | 6          | 34-1/2"      | 36"            | 2-3/16"           |
| 42" Wide   | 9            | 8          | 40-1/2"      | 42"            | 13/16"            |
| 48" Wide   | 9            | 10         | 46-1/2"      | 48"            | 3-3/4"            |
| 60" Wide   | 13           | 12         | 58-1/2"      | 60"            | 15/16"            |
| 72" Wide   | 15           | 14         | 70-1/2"      | 72"            | 2-9/16"           |


Custom Gate sizes are available.  
Contact Customer Service for more information.

# ENTRY GATES




## Standard

84" – 192" Single Gate Openings  
168" – 384" Double Gate Openings




## Arched

84" – 192" Single Gate Openings  
168" – 384" Double Gate Openings



## Continuous Arch Double Gate

168" – 384" Openings



## Designer Arch Double Gate

168" – 384" Openings

Gate Openings over 12' Single and 24' Double include bracing.  
Custom Gate sizes are available. Contact Customer Service for more information.



1131 Custom Gate with Designer Arch





## Hinges




Tru-Close Hinge




Kwik Fit Hinge



SS Med Duty Hinge



HD Adjustable Hinge  
For 2" Gate Sides



Tiger Self Close Hinge

## Latches



Lokk Latch



Lokk Latch Deluxe



Lokk Latch Magnetic



Magna Latch  
Vertical Pull 6"



Magna Latch  
Top Pull 20-1/4"



SS Gravity Latch



FortiMa  
Latch



Lock Box  
with Handle



Keeper for  
Lock Box



Push Bar for  
Lock Box


## Canebolts



Canebolt Lockable



Canebolt Lockable  
Receiver




Canebolt  
(Drop Pin Kit)


Not all hinges and latches work for all gate configurations. For more information on gates and hardware visit our website [diggerspecialties.com](http://diggerspecialties.com)

# OPTIONS

## Gold Rings



Spear or Finial Top



Flat Top

## Finials

Gold  
Accent  
Available



Quad  
Hundred, 1000, and  
2000 Series



Triad  
Hundred, 1000, and  
2000 Series



Fleur-de-Lis  
Hundred and  
1000 Series  
5/8" Shown

## Double Punch




Double Punch increases the racking angle.

Double Punch not available for Sections with Rings.

**Click the QR Code for a detailed Racking Help Sheet.**



## Special Length Section



Hundred / 1000 Series:

- Per Foot Sections available from 2' to 6'
- Per Inch\* Sections available from 24" to 72"


2000 Series:

- Per Foot Sections available from 2' to 8'
- Per Inch\* Sections available from 24" to 96"


\*Ring and Arched Picket Top models not available in per inch sections.

Even spacing between pickets.


## Puppy Pickets (Short Pickets)




Spear/Finial Top




Flat Top



Spear/Finial Top  
Standard



Spear/Finial Top  
Flat Puppy Picket Rail Option  
Available Upon Request



Flat Top

Puppy Pickets (Short Pickets) go to the Mid-Rail for 36" & 42" heights.

Puppy Pickets (Short Pickets) are 20" tall with an additional rail for heights 48" and above.




# POSTS & MOUNTS



## Post Types


### Line Post

Line Posts have holes on opposite sides and are used as intermediate posts.




### Corner Post

Corner Posts have holes on adjacent sides to create a 90 degree turn.




### 3-Way Post

3-Way Posts have holes on three sides to continue a fence line and turn a corner.



### End Post

End Posts have holes on one side only to terminate a fence line.




## Post Sizes

|                 | 2"                                       | 2"                                                   | 2"                                                   | 2-1/2"                                               | 2-1/2"                                               | 2-1/2"                                                         | 4"                                                             | 6"                                             |
|-----------------|------------------------------------------|------------------------------------------------------|------------------------------------------------------|------------------------------------------------------|------------------------------------------------------|----------------------------------------------------------------|----------------------------------------------------------------|------------------------------------------------|
| Lengths         | 5-1/2',<br>6', 6-1/2',<br>7', 7-1/2', 8' | 5-1/2', 6', 6-1/2',<br>7', 7-1/2',<br>8-1/2', 8', 9' | 5-1/2', 6', 6-1/2',<br>7', 7-1/2',<br>8', 8-1/2', 9' | 5-1/2', 6', 6-1/2',<br>7', 7-1/2',<br>8', 8-1/2', 9' | 5-1/2', 6', 6-1/2',<br>7', 7-1/2',<br>8', 8-1/2', 9' | 5-1/2', 6', 6-1/2',<br>7', 7-1/2', 8', 8-1/2',<br>9', 10', 11' | 5-1/2', 6', 6-1/2',<br>7', 7-1/2', 8', 8-1/2',<br>9', 10', 11' | 6', 6-1/2',<br>7', 7-1/2', 8',<br>9', 10', 11' |
| Wall Thickness* | .060"                                    | .090"                                                | .125"                                                | .065"                                                | .090"                                                | .125"                                                          | .125"                                                          | .185"                                          |
| Post Type       | Line<br>Corner<br>3-Way<br>End           | Line<br>Corner<br>3-Way<br>End                       | End                                                  | Line<br>Corner<br>3-Way<br>End                       | Line<br>Corner<br>3-Way<br>End                       | Line<br>Corner<br>3-Way<br>End                                 | End                                                            | End                                            |

\*Aluminum Stiffeners can be added to End and Blank Posts to increase the wall thickness. 2" Posts: .060" Post with Stiffener = .310"W, .090" Post with Stiffener = .270"W 2-1/2" Posts: .065" Post with Stiffener = .190"W

## Section Mounts

Optional section mounts are available. These mounts can be used in cases where a routed post cannot be used.



Wall Mount  
Hundred, 1000, and  
7000 Series



Wall Mount  
2000 Series




Swivel Mount  
Hundred, 1000, 2000,  
and 7000 Series

# ACCESSORIES

## Post Caps

Gold  
Accent  
Available



Flat Cap  
2", 2-1/2", 4", 6"



Ball Cap  
2", 2-1/2", 4"


## Post Mounts & Flairs




2" Post Mount  
(Includes Flair)



2-1/2" Post Mount  
(Includes Flair)



Welded Plate Option




Post Flair (2-piece)  
2", 2-1/2", 4", 6"  
For Welded Plate  
Option & Core  
Drilled Posts

## Tools



Rail Remover  
(Set of 3)



Post Routing  
Template Kit

## Touch Up Paint



Spray  
All Standard Colors



Pen  
Gloss Beige, Satin  
Black, Chocolate,  
Gloss White

## Magenta Star® Lighting

Magenta Star® Ornamental Low Voltage Lights.  
Visit [magenastar.com](http://magenastar.com) for more information.



Post Cap Light  
2", 2-1/2", 4"



Downward  
Post Cap Light  
2", 2-1/2", 4"



Combo  
Post Cap Light  
2", 2-1/2", 4"



# SPECIALTIES



## We put the “special” in Digger Specialties!

Let DSI help solve your unique installation challenges and design needs. Our team in Technical Services can make your dream a reality.

### Custom Sections

#### Radius



#### Stair Step with Special Routed Posts



#### Special Height



#### Special Radius



#### Tapered Welded



#### Special Picket Spacing



### Custom Gates







Transforming the Outdoor Living Experience®

## DSI FAMILY OF PRODUCTS



Stay Connected  
[diggerspecialties.com](https://diggerspecialties.com)



We have tried to make this brochure comprehensive and factual. We reserve the right to discontinue at any time, without notice, colors, materials, equipment, and availability. Since some information may have been updated since the time of printing, we are not responsible for typographical or pictorial errors. Materials shown may vary slightly from actual colors and photos may show optional items. ©Digger Specialties, Inc. 2025/03 99547